



LOCKOUT BOX & STATION

LOCK OUT. STAY SAFE.

PROLOCKEY / CATEGORY 08

PROLOCKEY PRODUCT CATALOG

Lockout Stations & Group Lock Boxes

Organized storage and accountable key control for facility-wide LOTO programs

OVERVIEW

PROLOCKEY lockout stations and group lock boxes keep safety padlocks, tags, hasps, keys and isolation devices organized and accessible. Wall-mounted, portable and enclosed configurations support consistent deployment, visual inventory control and coordinated group lockout across departments or job sites.

PRODUCT COVERAGE

- Portable group lock boxes and multi-user key-control boxes
- Wall-mounted lockout stations, padlock stations and storage cabinets
- Open stations, covered stations, tool boxes and portable lockout bags
- Multiple capacities for padlocks, hasps, tags and specialized devices

TYPICAL APPLICATIONS

Suitable for maintenance workshops, production areas, utilities, construction projects, shutdown teams, contractor control points and centralized EHS storage.

SELECTION & CUSTOMIZATION

Plan capacity around the number of authorized employees, stored lockout devices, secured keys and points of use. Consider portability, wall space, visibility, access control and future expansion.

LOCK OUT. STAY SAFE.

www.lockeylockout.com | sales@lockeysafety.com

Product specifications are subject to confirmation at the time of order.

PORTABLE GROUP LOCK BOX

- Made from surface high temperature spraying plastic treatment steel plate and stainless steel nylon handle.
- Several people can lock the important parts at the same time.
- Can be used as mini portable lockout box, can accommodate several tagout, hasp, mini lockout etc.
- The label message in English. Other language can be custom made.

Part No.	Description
LK01	Size: 227mm(W) × 152mm(H) × 88mm(D), can accommodate 12 padlocks.
LK01-2	Size: 227mm(W) × 152mm(H) × 88mm(D), One side has a viewable window.
LK02	Size: 227mm(W) × 152mm(H) × 88mm(D), can accommodate 13 padlocks.
LK02-2	Size: 227mm(W) × 152mm(H) × 88mm(D), One side has a viewable window.
LK-WMD	Wall Mounted Components for LK01 and LK02



Part No.	Description
LK03	360mm(W) × 450mm(H) × 163mm(D)
LK03-KH	360mm(W) × 450mm(H) × 163mm(D), Keyhole
LK03-2	480mm(W) × 600mm(H) × 180mm(D)
LK03-3	600mm(W) × 800mm(H) × 200mm(D)
LK03-4	600mm(W) × 1000mm(H) × 200mm(D)
LK03-P	360mm(W) × 450mm(H) × 163mm(D), Extra 10 hooks
LK03-2-P	480mm(W) × 600mm(H) × 180mm(D), Extra 16 hooks

(Product Installation)




LK03

LK03-KH (Keyhole)

LK03-P

LK03-2-P

METAL PADLOCK STATION



Part No.	Description
LK04	450mm(W) × 600mm(H) × 85mm(D)

- Made from surface high temperature spraying plastic treatment steel plate.
- With 32 padlock positions, each padlock position can hang 2 padlocks or hasps.
- Other size and specification can be customized.


63

LOCKOUT BOX & STATION


Part No.	Description
LK04-2	560mm(W) x 460mm(H) x 70mm(D)
LK04-3	580mm(W) x 430mm(H) x 90mm(D)

- Made from surface high temperature spraying plastics treatment steel plate.
- LK04-2 has 30 padlock hooks, with 60pcs padlock capacity.
- LK04-3 has 20 padlock hooks and 4 tag holders capacity.
- Lockout management available.
- Can be customized made non-perspective panel.

METAL PADLOCK STATION



LK04-2



LK04-3

PORTABLE GROUP LOCK BOX



Part No.	Description	A(cm)	B(cm)	C(cm)
LK05	Can hold 17pcs padlocks max	33.8	15.2	19
LK06	Can hold 32pcs padlocks max	38.1	22.9	26.7

- The Combined Lockout Storage and Group Lockout Box is a handy box which features a lockable storage compartment and a group lockout compartment.
- Made of heavy duty steel, powder coated for extra rust resistance; group lockout compartment has clear PC window with keyhole slot.
- Use one lock on each energy control point and place the keys in the lockout box; each worker then places his own lock on the box to prevent access.
- Each employee retains exclusive control, by placing his own lock on the lockout box containing the keys to the job locks.
- As long as any one worker's lock remains on the lockout box, the keys to the job locks contained inside cannot be accessed.

Part No.	Description
LK07	288mm(W) x 144mm(H) x 128mm(D)

- 430-Grade stainless steel construction maximizes corrosion resistance.
- Clear, impact-resistant window provides visibility to secured keys.
- Side window to view unused locks.
- 18 numbered lockout holes for easy identification.
- Latch with lock hole on front for operations lock.
- Flanged design on sides offers easy application of locks.
- Gasketed key slot to drop keys into removable cup.
- Drain holes on bottom to limit liquids from accumulating inside.
- Stackable design facilitates storage and simplifies transporting multiple boxes.
- Replacement removable key cups available.

GROUP LOCKOUT BOX



Part No.	Description
LK21	165mm(W) x 325mm(H) x 85mm(D)

- Made from surface high temperature spraying plastic treatment steel plate and stainless steel and nylon handle.
- Device design for key store when large scale equipment shut down.
- Can be used as mini portable lockout box, can accommodate several tagout, hasps, mini lockout etc.
- Double function: wall mounting type or portable.
- Integrated store space can accommodate 12 padlocks orderly or hundreds of keys scatteredly.
- Up to 14 workers can lock it at the same time.
- Other colors can be customized.

GROUP LOCKOUT BOX



PLASTIC GROUP LOCK BOX



Part No.	Description
LK31	100mm(W) x 160mm(H) x 120mm(D)

- Made of plastic engineering plastic ABS and PC.
- Visible with mask design.
- Can be locked by 8 safety padlocks at the same time, convenient for administration.
- It has 6 hooks inside and 2 hooks outside.

Part No.	Description
LK32	102mm(W) x 220mm(H) x 65mm(D)

- Made of ABS engineering plastic and PC plastic.
- Visible and transparent panel.
- Can be locked with safety padlock that shackle diameter < 7.8 mm.
- Support 14 people management at same time.
- One piece design with 2 hooks, strong and durable.
- The panel has one key put-in hole, for operation's convenience to put the key back.

PLASTIC GROUP LOCK BOX



METAL PADLOCK STATION



Part No.	Description
LK41-1	480mm(W) x 500mm(H) x 85mm(D)

- Made from surface high temperature spraying plastics treatment steel plate.
- LK41-1 has 10 padlock hooks and 2 tag holders capacity.
- Lockout management available.
- Can be customized made non-perspective panel.

Part No.	Description
LK42	440mm(W) x 400mm(H) x 123mm(D) Can accommodate 10 padlocks, several mini lockouts and tags.
LK43	520mm(W) x 540mm(H) x 123mm(D) Can accommodate 20 padlocks, several mini lockouts and tags.

- Made of steel plate with high-temperature spraying treatment on the surface and Acrylic board.
- For the unified storage-management of safety padlocks and small lockouts.

METAL PADLOCK STATION



LK42

LK43

WALL MOUNTED GROUP LOCK BOX



LK71



LK72

Part No.	Description
LK71	203mm(W) x 178mm(H) x 57mm(D), can accommodate 7 padlocks.
LK72	430mm(W) x 178mm(H) x 57mm(D), can accommodate 15 padlocks.

- Made of powder coated steel with key slot on top.
- Includes clear Lexan window that slides out when locks are removed.
- Includes key pegs and ID labels to simplify key management, and predrilled holes and hardware for quick mounting.

Part No.	Description
LS01	410mm(W) x 315mm(H) x 65mm(D)
LS02	565mm(W) x 400mm(H) x 65mm(D)
LS03	565mm(W) x 400mm(H) x 65mm(D), with holder for small lockout devices.

- Made from engineering plastic PC.
- One piece design, with a cover to lock out.
- Can accommodate padlocks, hasps, lockout tags and some ties.
- There's a lockable combination padlock hole for locking out as a limit access to unauthorized employees.

LOCKOUT STATION



LS01

LS02

LS03

LOCKOUT STATION



LS04

LS05


Part No.	Description
LS04	560mm(W) x 324mm(H) x 113mm(D), 2 8p-out bins and 8 hooks.
LS05	Combined station for lockout storage

- Made of plastic engineering plastic ABS and PC.
- 8 hanger clips can hold safety padlocks or hasps.
- Can accommodate numbers of padlock, hasp, tagout and mini lockout etc.
- Translucent lockable cover protects contents from dust and prevents missing equipment.

Part No.	Description
LS11	Can accommodate 60 padlocks.
LS12	Can accommodate 40 padlocks, 8 hasps and tags.
LS13	Can accommodate 40 padlocks and mini lockouts.
LS14	Can accommodate a number of lockout tags.
LS15	Can accommodate a number of tags and mini lockouts.
LS16	Can accommodate 20 padlocks and 2 writing boards.
LS17	Can accommodate 40 padlocks and 2 phones.
LS18	Can accommodate 6 phones.

COMBINED LOCKOUT STATION

- Made from engineering plastic PC.
- One piece design, with a cover to lock out.
- Can accommodate numbers of padlock, hasp, tagout and mini lockout etc.
- There's a lockable combination padlock hole for locking out to limit access to authorized employees.
- The overall size: 520mm(W) x 631mm(H) x 85mm(D).



LS11

LS12

LS13

LS14


LS15

LS16

LS17

LS18

OPEN LOCKOUT STATION





Part No.	Description
L521	Accept 10-16 pcs padlocks with 2 tag holders
L522	Accept 10-16 pcs padlocks, 2 hasps, and 1 tag holder.
L523	Accept 20-32 pcs padlocks.
L524	Accept 8 pcs padlocks, 2 hasps, and 2 tag holders.
L525	Accept 10-16 pcs padlocks, 1 hasp, and 2 tag holders.

- Made from ABS, strong and durable.
- Accessories can be freely matched according to needs.
- Support customize the LOGO.
- The overall size: 380mm (W) × 380mm (H) × 10mm (D)


Part No.	Description
LS31	Can accommodate 60 padlocks.
LS32	Can accommodate 40 padlocks, 4 hasps and tags.
LS33	Can accommodate 40 padlocks and mini lockouts.
LS34	Can accommodate a number of lockout tags, 4 hasps.
LS35	Can accommodate 40 padlocks and 1 writing boards.
LS36	Can accommodate 20 padlocks and 2 writing boards.

- The lockout station is made of engineering plastic ABS with transparent PC cover.
- The pc cover protects the inside lockouts from dust and missing.
- It can accommodate padlocks, hasps, lockout tags and some other lockout devices.
- There is an overall padlock hole to lock out the station and preventing the stored lockouts inside from unauthorized employees.
- The overall size: 603mm(W) × 600mm(H) × 68.8mm(D).

LOCKOUT STATION




LOCKOUT STATION



Part No.	Description
LK11	Tagout Station, 115mm(H)×191mm(W)
LK12	10-lock station, 345mm(H)×345mm(W)
LK13	20-lock station, 595mm(H)×295mm(W)
LK14	36-lock station, 545mm(H)×597mm(W)
LK15	5-lock station, 293mm(H)×390mm(W)


- Made from bright and durable acrylic with acrylic lock rails.
- Warning label can be customized.
- Can accommodate padlocks, tags, hasps.

LOCKOUT STATION



Part No.	Description
L551	280mm(W)×400mm(H)
L552	360mm(W)×540mm(H)
L553	660mm(W)×520mm(H)
L554	800mm(W)×650mm(H)
L555	1220mm(W)×800mm(H)
L556	1220mm(W)×800mm(H)

- Made of Chevron-board, PVC and aluminum alloy.
- Shadow contour is convenient to inventory and storage.
- Shadows are status indicators, clearly showing which piece of equipment is in use.
- Can customize design and logo etc.



Part No.	Description
LS61	200mm(W)×250mm(H)×88mm(D)

- Made of engineering ABS plastic.
- Equipped with 4 padlock positions, 1 storage holder.
- Support to deposit safety padlock, safety warning tag, small and medium size lockouts etc.

COMPACT LOCKOUT STATION



PERMIT DISPLAY CASE



Part No.	Description
LK51	305mm(W) × 435mm(H)

- Made from surface high temperature spraying plastics treatment steel plate.
- Clear, impact-resistant window for viewing and protecting permit documents.
- Rubber seal protects documents from water damage in outdoor applications or during cleaning.
- Includes carrying handle for portability when not wall mounted.

Part No.	Description
LK52	305mm(W)x345mm(H)x90mm(D)

- Made from surface high temperature spraying plastics treatment steel plate.
- Clear, impact-resistant window for viewing secured key(s) during lockout.
- 12 numbered lock holes for personal safety locks.
- Includes removable lock caddy for easy transportation of equipment locks to isolation points during lockout.
- Removable key cup to collect and maintain visibility of secured key(s) during lockout, and easy retrieval of key(s) after release of lockout.



PERMIT CONTROL STATION

Part No.	Description
LK53	305mm(W) x780mm(H)x90mm(D)

- The LK53 Permit Control Station includes the LK51 Permit Display Case and the LK52 Wall Mount Group Lock Box.
- When used within various settings throughout a facility, the LK53 Series can improve the effectiveness and efficiency of group lockout while communicating the details and status of permit-to-work jobs.



Part No.	Description
LK81	208mm(W)x98mm(H)x99mm(D)

- Made of engineering ABS plastic and polycarbonate.
- Can hang 6 keys, with 2 key put-in holes at the top part.
- With 16 padlock holes, support 16 person to manage it at same time.



PORTABLE KEY MANAGEMENT BOX

Part No.	Description
LK91	110mm(W)x155mm(H)x110mm(D)

- Made of engineering ABS plastic and polycarbonate.
- Can hang 6 keys, with 2 key put-in holes at the top part.
- With 16 padlock holes, support 16 person to manage it at same time.



GROUP LOCK BOX

Part No.	Description
PLK11S	365mm(W)x185mm(H)x140mm(D)
PLK11	408mm(W)x195mm(H)x185mm(D)
PLK11L	450mm(W)x245mm(H)x213mm(D)

- Made of coated iron and engineering plastic PP.
- Warning words can be customized.

MAINTENANCE LOCKOUT TOOL BOX




LOCKOUT STATION

- The lockout station is made of engineering plastic ABS with transparent PC cover.
- Comes with predrilled holes for easy wall mounting when you want it to stay put and attachable handle when you need it on the go.
- Lockable clear plastic door provides instant visibility while protecting contents from damage, theft and loss.
- The overall size:390mm(W) x 440mm(H) x 130mm(D).

Part No.	Description
PLK21	Can accommodate 24 padlocks.
PLK22	Can accommodate 12 padlocks, 4 hasps and tags.
PLK23	Can accommodate 12 padlocks and tags.
PLK24	Can accommodate 12 padlocks and 2 shelves of small lockouts
PLK25	Can accommodate 1 shelf of small lockouts and tags
PLK26	Can accommodate 3 shelves of small lockouts



METAL PADLOCK STATION



Part No.	Description
PLS01	140mm(L) x 40mm(W) x 80mm(H), can accommodate 5 padlocks.
PLS02	270mm(L) x 40mm(W) x 80mm(H), can accommodate 10 padlocks.
PLS03	400mm(L) x 40mm(W) x 80mm(H), can accommodate 15 padlocks.
PLS04	530mm(L) x 40mm(W) x 80mm(H), can accommodate 20 padlocks.

- Made from heavy duty steel with durable powder coated finish treatment, which ensures longer life in manufacturing facilities.
- English warning label. Other language can be custom made.

Part No.	Description
PH01	Accommodate up to 12 padlocks.

- Made from engineering plastic reinforced nylon molding.
- Can carry up to 12 padlocks at the same time.
- English warning label. Other language can be custom made.



Part No.	Description
PH02	Accommodate up to 12 padlocks.

- Made from durable industrial oxford fabric.
- Light, flexible devices can be carried on belt, accommodate up to 12 padlocks.
- With plastic spring for holding keys.
- The overall diameter is 183mm, lock hole diameter is 10mm.



SAFETY PORTABLE LOCKOUT BAG



Part No.	Description
LB02	350mm(L) × 230mm(H) × 210mm(W)
LB03	390mm(L) × 290mm(H) × 210mm(W)

- Made from durable waterproof nylon fabric.
- Can custom made the sign on the lockout bag surface.
- With easy carrying hand straps and a shoulder strap.

PORTABLE PADLOCK HANDY

Part No.	Description
LB21	200mm(L) × 130mm(H) × 55mm(W)
LB31	280mm(L) × 300mm(H) × 80mm(W)
LB41	240mm(L) × 160mm(H) × 100mm(W)
LB51	195mm(L) × 115mm(H) × 75mm(W)
LB52	200mm(L) × 120mm(H) × 55mm(W)
LB53	200mm(L) × 180mm(H) × 60mm(W)

- Made from water resisting polyester cloth.
- Light-weight and easy to carry or wear.
- Can customize the sign on the lockout bag surface.

SAFETY PORTABLE LOCKOUT BAG



Part No.	Description
LB61	620mm(L) × 160mm(H) × 100mm(W)

- Made from water resisting polyester cloth.
- Light-weight and easy to carry or wear with the adjustable waist straps.
- The words on the bag can be customized.

KEY BOX



Part No.	Description
KB24	207mm(W) × 320mm(H) × 54mm(D), 24 key holes
KB32	267mm(W) × 320mm(H) × 54mm(D), 32 key holes
KB48	267mm(W) × 475mm(H) × 54mm(D), 48 key holes
KB72	390mm(W) × 475mm(H) × 54mm(D), 72 key holes
KB96	390mm(W) × 632mm(H) × 54mm(D), 96 key holes
KB120	390mm(W) × 784mm(H) × 54mm(D), 120 key holes
KB150	437mm(W) × 780mm(H) × 54mm(D), 150 key holes
KB180	437mm(W) × 875mm(H) × 54mm(D), 180 key holes

- Made from aluminum with surface treatment.
- Can hold all kinds of keys, cards etc.
- Other capacities can be customized.

Part No.	Description
KT01	Label inside can be custom made.

- Made from PE material, durable using.
- Comes with a writable white paper inside.
- Overall size: 58 × 21mm
- All colors available.

KEY TAG



KEY TAG



KT11



KT12

Part No.	Description
KT11	External diameter: 38mm
KT12	External diameter: 25mm

- Aluminum material.
- Customizable content and LOGO.

PLASTIC GLOVE CLIPS



PGC01

PGC02

PGC03



Various Colors Available

Part No.	Description
PGC01	25mm(W)x112mm(H)x12mm(D)
PGC02	34mm(W)x129mm(H)x17mm(D)
PGC03	34mm(W)x145mm(H)x17mm(D)

- Made of modified POM material, featuring high elasticity and high strength.
- The striped design of the pressing area prevent the products from slipping. The clamp is equipped with interlocking teeth, which is more secured.
- It can hold protective gear and small tools, like gloves, safety helmets, water bottles, masks, etc.

Part No.	Description
TP01	Labels can be customized

- Used on the PVC tag.
- Use cloth and paper to erase the script that the pen written.

ERASABLE TAGOUT PEN



DOCUMENT POUCH



Part No.	Description
PDH01	Plastic sleeve dimensions : 238mm(W) x 320mm(L)

- Constructed from durable, heavy duty PVC.
- Ideal for storing permits and isolation documents.